

**PRODUCT NAME:
BORIC ACID INSECTICIDE**

MSDE #: BX2320

1. CHEMICAL, PRODUCT AND COMPANY IDENTIFICATION

| | |
|------------------------|---|
| Product Name | BORIC ACID INSECTICIDE |
| Grades | Technical, <i>SQ</i> , <i>NF</i> |
| Chemical Formula | H ₃ BO ₃ |
| Chemical Name/Synonyms | Boric Acid, Orthoboric Acid, Boracic Acid |
| Chemical Family | Inorganic Borates |
| CAS Registry Number | 10043-35-3 |
| TSCA Inventory Number | 10043-35-3 |
| EPA Pesticide Reg. No. | 1624-117 |

2. COMPOSITION/INFORMATION ON INGREDIENTS' OSHA HAZARDS

This product contains greater than 99 percent (%) Boric Acid (H₃BO₃). Boric Acid is hazardous under the OSHA Hazard Communication Standard based on animal chronic toxicity studies. Refer to Sections 3 and 11 for details on hazards.

3. HAZARD IDENTIFICATION EMERGENCY OVERVIEW:

Boric Acid is a white odorless, powdered substance that is not flammable, combustible, or explosive and it presents no unusual hazard if involved in a fire. Boric Acid presents little or no hazard (to humans) and has low acute oral and dermal toxicities. Care should be taken to minimize the amount of Boric Acid released to the environment to avoid ecological effects.

POTENTIAL ECOLOGICAL EFFECTS:

Large amounts of Boric Acid can be harmful to boron-sensitive plants and other ecological systems.

POTENTIAL HEALTH EFFECTS:

Routes of Exposure. Inhalation is the most significant route of exposure in occupational and other settings. Dermal exposure is not usually a concern because Boric Acid is not absorbed through intact skin.

Inhalation: Occasional mild irritation effects to nose and throat may occur from inhalation of Boric Acid dusts at levels greater than 10 mg/m³.

Eye Contact: Boric Acid is non-irritating to eyes in normal industrial use.

Skin Contact: Boric Acid does not cause irritation to intact skin.

Ingestion: Products containing Boric Acid are not intended for ingestion. Boric Acid has a relatively low acute toxicity. Small amounts (e.g. a teaspoonful) swallowed accidentally are not likely to cause effects, swallowing amounts larger than that may cause gastrointestinal symptoms.

BORIC ACID

Cancer: Boric Acid did not cause cancer in long-term animal studies, and is not considered a carcinogen.

Reproductive: Long-term, high dose animal ingestion studies have demonstrated reproductive effects in male animals. A human study of occupational exposure to borate dust showed no adverse effect to reproduction.

Developmental: High dose animal ingestion studies have demonstrated developmental effects in fetuses of pregnant animals, including fetal weight loss.

Target Organs: No target organ has been identified in humans. High dose animal ingestion studies indicate the testes are the target organs in male animals.

Signs and Symptoms of Exposure: Symptoms of accidental over-exposure to Boric Acid have been associated with ingestion or by absorption through large areas of damaged skin. These may include nausea, vomiting, and diarrhea, with delayed effects of skin redness and peeling.

Refer to Section 11 for details on Toxicological Data.

4. FIRST AID MEASURES

Inhalation: No specific treatment is necessary since Boric Acid is not likely to be hazardous by inhalation. Prolonged exposure to dust levels in excess of regulatory limits should always be avoided.

Eye Contact: Use eye wash fountain or flush water to cleanse eye. If irritation persists for more than 30 minutes, seek medical attention.

Skin Contact: No treatment necessary because non-irritating.

Ingestion: Swallowing less than one teaspoon will cause no harm to healthy adults. If larger amounts are swallowed, give two glasses of water to drink and seek medical attention.

NOTE TO PHYSICIANS: Observation only is required for adult ingestion of less than 6 grams of Boric Acid. For ingestion in excess of 6 grams, maintain adequate kidney function and force fluids. Gastric lavage is recommended for symptomatic patients only. Hemodialysis should be reserved for massive acute ingestion or patients with renal failure. Boric Acid analysis of urine or blood are only useful for documenting exposure and should not be used to evaluate severity of poisoning or to guide treatment. (Further Information: Litovitz, T.L., Norman, S.A., Voltri, J. C., Annual Report of the American Association of Poison Control Centers Data Collection System. Am. J. Emerg. Med. 1986; 4:427-458). 24 hour Medical consultation is available at (800) 228-5635 EXT. 144.

5. FIRE-FIGHTING MEASURES

General Hazard: None, because Boric Acid is not flammable, combustible or explosive. The product is itself a flame retardant.

Extinguishing Media: Any fire extinguishing media may be used on nearby fires.

Flammability Classification (29 CFR 1910.1200): Non-flammable solid

6. ACCIDENTAL RELEASE MEASURES

General: Boric Acid is a water-soluble white powder that may cause damage to trees or vegetation by root absorption. (Refer to Ecological Information Section 12 for specific information)

Land Spill: Vacuum, shovel or sweep up Boric Acid and place in containers for disposal in accordance with applicable local regulations. Avoid contamination of water bodies during clean up and disposal. No personal protective equipment is needed to clean up land spills.

BORIC ACID

Water Spill: Boric Acid will cause localized contamination of surrounding waters depending on the quantity dissolved in these waters. At high concentrations some damage to local vegetation, fish and other aquatic life may be expected (Refer to Sections 12, 13 and 15 for additional information)

Boric Acid is a non-hazardous waste when spilled or disposed of, as defined in the Resource Conservation and Recovery Act (RCRA) regulations (40 CFR 261) (Refer to Regulatory Information Section 15 for additional references and information regarding EPA and California regulations)

7. HANDLING AND STORAGE

Storage Temperature: Ambient

Storage Pressure: Atmospheric

Special Sensitivity: Moisture (Caking)

General: No special handling precautions are required, but dry, indoor storage is recommended. To maintain package integrity and to minimize caking of the product, bags should be handled on a "first-in first-out" basis. Good housekeeping procedures should be followed to minimize dust generation and accumulation

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls: Use local exhaust ventilation to keep airborne concentrations of Boric Acid dust below permissible exposure levels

Personal Protection: Where airborne concentrations are expected to exceed exposure limits, NIOSH/MSHA certified respirators must be used. Eye goggles and gloves are not required for normal industrial exposures, but may be warranted if environment is excessively dusty.

Occupational Exposure Limits: Boric Acid is listed/regulated by OSHA, Cal OSHA and ACGIH as "Particulate Not Otherwise Classified" or "Nuisance Dust."

OSHA: PEL* 15 mg/m³ total dust and 5 mg/m³ respirable dust

ACGIH: TLV** 10 mg/m³

Cal OSHA: PEL* 10 mg/m³

*PEL = "Permissible Exposure Limit"

**TLV = "Threshold Limit Value"

9. PHYSICAL AND CHEMICAL PROPERTIES

| | |
|-----------------------------|---|
| Appearance: | White, odorless, crystalline solid |
| Specific Gravity: | 1.51 |
| Vapor Pressure: | Negligible @ 200C |
| Solubility in Water: | 4.7% @200C; 27.5% @1000C |
| Melting Point: | 170.90C (3400F) (Heated in closed space) |
| Viscosity: | Not applicable Boiling Point Not applicable |
| Flash Point: | None |
| pH: | 6.1 (0.1% solution), 5.1 (1.0% solution), 3.7 (4.7% solution) @ 200C |
| Formula Weight: | 61.84 |

BORIC ACID

10. STABILITY AND REACTIVITY

General: Boric Acid is a stable product, but when heated it loses water, first forming Meta boric Acid (HB02), and on further heating it is converted into Boric Oxide (B2O3).

Incompatible Materials and Conditions to Avoid: Boric Acid reacts as a weak acid, which may cause corrosion of base metals. Reaction with strong reducing agents such as metal hydrides or alkali metals will generate hydrogen gas which could create an explosive hazard.

Hazardous Decomposition: None

11. TOXICOLOGICAL INFORMATION

INGESTION (ACUTE ORAL TOXICITY): Low acute oral toxicity. LD50 of Boric Acid in rats is 3500 to 4100 mg/kg of body weight.

SKIN (ACUTE DERMAL TOXICITY): Low acute dermal toxicity. LD50 of Boric Acid in rabbits is greater than 2000 mg/kg of body weight. Boric Acid is not absorbed through intact skin.

PRIMARY SKIN IRRITATION INDEX: 0 (zero). Boric Acid is non-corrosive.

EYE: Draize test in rabbits produced mild eye irritation effects. Fifty years of occupational exposure history reflect no indication of human eye injury from exposure to Boric Acid.

INHALATION: Human epidemiological studies show no increase in pulmonary disease in occupational populations with chronic exposures to Boric Acid dust and Sodium Borate dust.

CARCINOGENICITY: A Technical Report issued by the National Toxicology Program showed "no evidence of carcinogenicity" from a full 2-year bioassay on Boric Acid in mice at feed doses of 2500 and 5000 PPM in the diet. No mutagenic activity was observed for Boric Acid in a recent battery of four short-term mutagenicity assays.

REPRODUCTIVE/DEVELOPMENTAL TOXICITY: Animal studies indicate Boric Acid reduces or inhibits sperm production, causes testicular atrophy, and when given to pregnant animals during gestation may cause developmental changes. These feed studies were conducted under chronic exposure conditions leading to doses many times in excess of those that could occur through inhalation of dust in occupational settings.

REPRODUCTIVE TOXICITY (Fertility): Dietary Boric Acid levels of 6,700 PPM in chronic feeding studies in rats and dogs produced testicular atrophy, while dogs and rats receiving 2000 PPM did not develop testicular changes (Wei, Fisher, 1972). In chronic feeding studies of mice on diets containing 5000 PPM (550 mg/kg/d) Boric Acid, testicular atrophy was present, while mice fed 2500 PPM (275 mg/kg/d) Boric Acid showed no significant increase in testicular atrophy (NTP, 1987). In another Boric Acid chronic study, in mice given 4500 PPM (636 mg/kg/d), degeneration of seminiferous tubules was present together with a reduction of germ cells, while at 1000 PPM (152 mg/kg/d) no effect was seen (Fail et al., 1991).

In a reproduction study on rats, 2000 PPM of dietary Boric Acid had no adverse effect on litter size, weight and appearance (Wei, Fisher 1972). In a continuous breeding study in mice there was a reduction in fertility rates for males receiving 4500 PPM (636 mg/kg/d) Boric Acid but not for females receiving 4500 PPM Boric Acid (Fail et al., 1991).

DEVELOPMENTAL TOXICITY: Boric Acid at dietary levels of 1000 PPM (78 mg/kg/d) administered to pregnant female rats throughout gestation caused a slight reduction in fetal weight, but was considered to be close to the NOAEL. Doses of 2000 PPM (163 mg/kg/d) and above caused fetal malformations and maternal toxicity. In mice the no effect level for fetal weight reduction and maternal toxicity was 1000 PPM (248 mg/kg/d) Boric Acid. Fetal weight loss was noted at dietary Boric Acid levels of 2000 PPM (452 mg/kg/d) and above. Malformations (agenesis or shortening of the thirteenth rib) were seen at 4000 PPM (1003 mg/kg/d), (Heindel et al., 1992).

BORIC ACID

- 1 Weir, R.J. and Fisher, R.S., *Toxicol Appl Pharmacol*, 23:351-364 (1972)
- 2 National Toxicology Program (NTP) - Technical Report Series No. TR324, NIEH Publication No. 88-2580 (1987), PB88-213475/XAB
- 3 Fail et al., *Fund Appl Toxicol* 17, 225-239 (1991)
- 4 Hoindel et al., *Fund Appl Toxicol* 18, 266-277 (1992)

12. ECOLOGICAL INFORMATION ECOTOXICITY DATA:

Phytotoxicity: Although boron is an essential micronutrient for healthy growth of plants, it can be harmful to boron-sensitive plants in higher quantities. Plants and trees can be exposed by root absorption to toxic levels of boron in the form of water-soluble borate leached into nearby soil or waters. Care should be taken to minimize the amount of borate product released to the environment.

Fish Toxicity: Boron naturally occurs in seawater at an average concentration of 5 mg B/liter. In laboratory studies the acute toxicity (96-hr LC50) for under-yearling Coho salmon (*Oncorhynchus kisutch*) in seawater was determined as 40 mg B/L (added as sodium metaborate).

Boron concentrations in fresh surface waters are generally less than 1 mg B/L. Laboratory studies on the toxicity of freshwater fish were determined using early life (embryo-larval) stages in natural water and Boric Acid as a test substance. The results were

| | |
|--|--|
| Rainbow trout (<i>Salmo gairdneri</i>) | 24-day LC50-150.0 mg B/L 36-day NOEC-LOEC-0.75-1 mg B/L |
| Goldfish (<i>Carassius auratus</i>) | 7-day NOEC-LOEC-26.50 mg B/L 3-day LC50-178 mg B/L |

Invertebrate Toxicity: The acute toxicity (48-hour LC50) to Daphnids (*Daphnia magna* Straus) in natural water is reported to be 133 mg B/L (added as Boric Acid). Estimated chronic toxicity (21-day NOEC-LOEC) values of 6-13 mg B/L (added as Boric Acid) have also been reported.

ENVIRONMENTAL FATE DATA:

Persistence/Degradation: Boron is naturally occurring and ubiquitous in the environment. Boric Acid decomposes in the environment to natural borate.

Octanol/Water Partition Coefficient: log Pow. -0.7570 at 25°C

Soil Mobility: The product is soluble in water and is leachable through normal soil

NOTE: Boron (B) is the element in Boric Acid which is used to characterize borate product ecological effects. To convert Boric Acid data to Boron (B), multiply by 0.1748

13. DISPOSAL CONSIDERATIONS

Disposal Guidance: Small quantities of Boric Acid can usually be disposed of at Municipal Landfill sites. No special disposal treatment is required, but refer to state and local regulations for applicable site-specific requirements. Tonnage quantities of product are not recommended to be sent to landfills. Such product should, if possible, be re-used for an appropriate application.

BORIC ACID

RCRA (40 CFR 261): Boric Acid is not listed under any sections of the Federal Resource Conservation and Recovery Act (RCRA). California Hazardous Waste Designation: California identifies substances with acute LD50's less than 5000 mg/kg as "hazardous wastes". Boric Acid is therefore a "hazardous waste" if spilled in California, and should be handled in accordance with applicable state regulations.

Refer to Section 15 for additional regulatory information

14. TRANSPORT INFORMATION

DOT Hazardous Material Classification: Boric Acid is not a U.S. Department of Transportation (DOT) Hazardous Material.

DOT Hazardous Substances Classification: Boric Acid is not a DOT Hazardous Substance.

International Transportation: Boric Acid has no UN Number, and is not regulated under international rail, highway, water or air transport regulations.

15. REGULATORY INFORMATION

TSCA No.: (10043-35-3) Boric Acid appears on the EPA TSCA inventory list.

FIFRA: Boric Acid is registered with the EPA, in accordance with Section 3 of FIFRA as a pesticide product. Refer to EPA approved product label for additional product Hazard and Precautionary information.

RCRA: Boric Acid is not listed as a hazardous waste under any sections of the Resource Conservation and Recovery Act or regulations (40 CFR 261 et seq.).

Superfund: CERCLA/SARA Boric Acid is not listed under CERCLA (the Comprehensive Environmental Response Compensation and Liability Act) or its 1986 amendments, SARA, (the Superfund Amendments and Reauthorization Act), including substances listed under Section 313 of SARA, Toxic Chemicals, 42 USC 11023, 40 CFR 372.65, Section 302 of SARA, Extremely Hazardous Substances, 42 USC 11002, 40 CFR 355; or the CERCLA Hazardous Substances list, 42 USC 9604, 40 CFR 302.

Safe Drinking Water Act: Boric Acid is not regulated under the SDWA, 42 USC 300g-1, 40 CFR 141 et seq. Consult state and local regulations for possible water quality advisories regarding boron.

Clean Water Act (Federal Water Pollution Control Act): 33 USC 1251 et seq.

(a) Boric Acid is not itself a discharge covered by any water quality criteria of Section 304 of the CWA, 33 USC 1314.

(b) It is not on the Section 307 List of Priority Pollutants, 33 USC 1317, 40 CFR 129.

(c) It is not on the Section 311 List of Hazardous Substances, 33 USC 1321, 40 CFR 116.

(d) It is not on the Section 311 List of Hazardous Substances, 33 USC 1321, 40 CFR 116.

OSHA/Cal OSHA: This MSDS document meets the requirements of both OSHA (29 CFR 1910.1200) and Cal OSHA (Title 8 CCR 5194(g)) hazard communication standards.

Refer to Section 8 for regulatory exposure limits.

IARC: The International Agency for Research on Cancer (of the World Health Organization) does not list or categorize Boric Acid as a carcinogen.

NTP Annual Report on Carcinogens: Boric Acid is not listed.

OSHA Carcinogen: Boric Acid is not listed.

California Proposition 65: Boric Acid is not listed on any Proposition 65 lists of carcinogens or reproductive toxicants.

BORIC ACID

16. OTHER INFORMATION

Product Label Text Hazard Information: Refer to EPA approved product label for additional product Hazard and Precautionary information.

National Fire Protection Association (NFPA) Classification:

| | |
|--------------|---|
| Health | 0 |
| Flammability | 0 |
| Reactivity | 0 |

Hazardous Materials Information Systems (HMIS):

| | |
|----------------------|----|
| Red: (Flammability) | 0 |
| Yellow (Reactivity) | 0 |
| Blue: (Acute Health) | 1* |

* Chronic Effects

NOTICE

VAN WATERS & ROGERS INC. ("VW&R") EXPRESSLY DISCLAIMS ALL EXPRESS OR IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WITH RESPECT TO THE PRODUCT OR INFORMATION PROVIDED HEREIN, AND SHALL UNDER NO CIRCUMSTANCES BE LIABLE FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES

ALL INFORMATION APPEARING HEREIN IS BASED UPON DATA OBTAINED FROM THE MANUFACTURER AND/OR RECOGNIZED TECHNICAL SOURCES. WHILE THE INFORMATION IS BELIEVED TO BE ACCURATE, VW&R MAKES NO REPRESENTATIONS AS TO ITS ACCURACY OR SUFFICIENCY. CONDITIONS OF USE ARE BEYOND VW&R'S CONTROL AND THEREFORE USERS ARE RESPONSIBLE TO VERIFY THIS DATA UNDER THEIR OWN OPERATING CONDITIONS TO DETERMINE WHETHER THE PRODUCT IS SUITABLE FOR THEIR PARTICULAR PURPOSES AND THEY ASSUME ALL RISKS OF THEIR USE, HANDLING, AND DISPOSAL OF THE PRODUCT, OR FROM THE PUBLICATION OR USE OF, OR RELIANCE UPON, INFORMATION CONTAINED HEREIN. THIS INFORMATION RELATES ONLY TO THE PRODUCT DESIGNATED HEREIN, AND DOES NOT RELATE TO ITS USE IN COMBINATION WITH ANY OTHER MATERIAL OR IN ANY OTHER PROCESS.

END OF MSDS